



PATENT
ATTORNEY DOCKET NO. 01997/545003

Certificate of Mailing: Date of Deposit: October 18, 2006

I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being deposited with the United States Postal Service as **first class mail** with sufficient postage on the date indicated above and is addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Scott Pugh

Printed name of person mailing correspondence

[Signature]
Signature of person mailing correspondence

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Yaffe et al.

Confirmation No.: 5853

Serial No.: 10/713,978

Art Unit: 1656

Filed: November 14, 2003

Examiner: David J. Steadman

Customer No.: 21559

Title: PRODUCTS AND PROCESSES FOR MODULATING PEPTIDE-
PEPTIDE BINDING DOMAIN INTERACTIONS

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Applicants submit the references listed on the enclosed Form PTO-1449, copies of which are enclosed with the exception of U.S. patents and U.S. patent application publications. A copy of a search report from a corresponding international application is also enclosed.

Submission of this statement is not a representation that a search has been made, nor is the inclusion of information in this statement an admission that the information is material to patentability.


This statement is being filed before the receipt of a first Office action on the merits.

If there are any charges or any credits, please apply them to Deposit Account No. 03-2095.

Respectfully submitted,

Date:

October 18, 2006



Kristina Bieker-Brady, Ph.D.

Reg. No. 39,109

Clark & Elbing LLP
101 Federal Street
Boston, MA 02110
Telephone: 617-428-0200
Facsimile: 617-428-7045

Sheet 1 of 8

SUBSTITUTE FORM PTO-1449 (MODIFIED) INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	01997/545003
		Serial No.	10/713,978
		Applicant	Yaffe et al.
		Filing Date	November 14, 2003
		Group	1656
		IDS Filed	October 18, 2006

U.S. PATENT DOCUMENTS						
Examiner's Initials	Document Number	Publication Date	Patentee or Applicant	Class	Subclass	Filing Date (If Appropriate)
	5,532,167	Jul. 2, 1996	Cantley et al.			
	6,004,757	Dec. 21, 1999	Cantley et al.			
	6,358,738	Mar. 19, 2002	Erikson et al.			
FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION						
Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Translation (Yes/No)
	WO 98/54577	Dec. 3, 1998	WIPO			
	WO 01/90401	Nov. 29, 2001	WIPO			
OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)						
	Abraham, "Cell Cycle Checkpoint Signaling Through the ATM and ATR Kinases," <i>Genes Dev.</i> 15:2177-2196 (2001).					
	Abraham, "Checkpoint Signalling: Focusing on 53BP1," <i>Nat. Cell Biol.</i> 4:E277-E279 (2002).					
	Abrieu et al., "The Polo-Like Kinase Plx1 Is a Component of the MPF Amplification Loop at the G ₂ /M-Phase Transition of the Cell Cycle in <i>Xenopus</i> Eggs," <i>J. Cell Sci.</i> 111:1751-1757 (1998).					
	Anderson et al., "Phosphorylation and Rapid Relocalization of 53BP1 to Nuclear Foci upon DNA Damage," <i>Mol. Cell. Biol.</i> 21:1719-1729 (2001).					
	Bahassi et al., "Mammalian Polo-Like Kinase 3 (Plk3) Is a Multifunctional Protein Involved in Stress Response Pathways," <i>Oncogene</i> 21:6633-6640 (2002).					
	Bateman et al., "Pfam 3.1: 1313 Multiple Alignments and Profile HMMs Match the Majority of Proteins," <i>Nucleic Acids Res.</i> 27:260-262 (1999).					
	Brown et al., "The Structural Basis for Specificity of Substrate and Recruitment Peptides for Cyclin-Dependent Kinases," <i>Nat. Cell. Biol.</i> 1:438-443 (1999).					
	Cantley et al., "Oncogenes and Signal Transduction," <i>Cell</i> 64:281-302 (1991).					
	Cho et al., "BRCT Domain-Containing Protein PTIP Is Essential for Progression through Mitosis," <i>Mol. Cell. Biol.</i> 23:1666-1673 (2003).					

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	

SUBSTITUTE FORM PTO-1449 (MODIFIED) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))	Attorney Docket No.	01997/545003
	Serial No.	10/713,978
	Applicant	Yaffe et al.
	Filing Date	November 14, 2003
	Group	1656
	IDS Filed	October 18, 2006

	Davis et al., "Monoclonal Antibodies to Mitotic Cells," <i>Proc. Natl. Acad. Sci. U.S.A.</i> 80:2926-2930 (1983).
	DiTullio et al., "53BP1 Functions in an ATM-Dependent Checkpoint Pathway That Is Constitutively Activated in Human Cancer," <i>Nat. Cell Biol.</i> 4:998-1002 (2002).
	Donaldson et al., "The Mitotic Roles of Polo-Like Kinase," <i>J. Cell Sci.</i> 114:2357-2358 (2001).
	Durocher et al., "The FHA Domain Is a Modular Phosphopeptide Recognition Motif," <i>Mol. Cell</i> 4:387-394 (1999).
	Durocher et al., "The Molecular Basis of FHA Domain:Phosphopeptide Binding Specificity and Implications for Phospho-Dependent Signaling Mechanisms," <i>Mol. Cell</i> 6:1169-1182 (2000).
	Eck et al., "Recognition of a High-Affinity Phosphotyrosyl Peptide by the Src Homology-2 Domain of p56lck," <i>Nature</i> 362:87-91 (1993).
	Elez et al., "Polo-Like Kinase1, a New Target for Antisense Tumor Therapy," <i>Biochem. Biophys. Res. Commun.</i> 269:352-356 (2000).
	Elia et al., "Proteomic Screen Finds pSer/pThr-Binding Domain Localizing Plk1 to Mitotic Substrates," <i>Science</i> 299:1228-1231 (2003).
	Elia et al., "The Molecular Basis for Phosphodependent Substrate Targeting and Regulation of Plks by the Polo-Box Domain," <i>Cell</i> 115:83-95 (2003).
	Ellinger-Ziegelbauer et al., "Ste20-Like Kinase (SLK), a Regulatory Kinase for Polo-Like Kinase (Plk) During the G2/M Transition in Somatic Cells," <i>Genes Cells</i> 5:491-498 (2000).
	Fernandez-Capetillo et al., "DNA Damage-Induced G2-M Checkpoint Activation by Histone H2AX and 53BP1," <i>Nat. Cell Biol.</i> 4:993-997 (2002).
	GenBank Accession No. AAH33781 (2002)
	GenBank Accession No. AAP12647 (2003)
	GenBank Accession No. AY095028 (2002)
	GenBank Accession No. AY273801 (2003)
	GenBank Accession No. BC033781 (2002)
	GenBank Accession No. NM_004073 (1996)
	GenBank Accession No. NM_005030 (1994)
	GenBank Accession No. NM_006622 (1999)
	GenBank Accession No. NM_007349 (1997)

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	

SUBSTITUTE FORM PTO-1449 (MODIFIED) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))	Attorney Docket No.	01997/545003
	Serial No.	10/713,978
	Applicant	Yaffe et al.
	Filing Date	November 14, 2003
	Group	1656
	IDS Filed	October 18, 2006

	GenBank Accession No. NM_079455 (2000)
	GenBank Accession No. NP_004064 (1996)
	GenBank Accession No. NP_005021 (1994)
	GenBank Accession No. NP_006613 (1999)
	GenBank Accession No. NP_031375 (2000)
	GenBank Accession No. P53350 (1993)
	GenBank Accession No. Q07832 (1993)
	GenBank Accession No. U58205 (1996)
	GenBank Accession No. X73458 (1994)
	Giet and Prigent, "Aurora/Ipl1p-Related Kinases, a New Oncogenic Family of Mitotic Serine-Threonine Kinases," <i>J. Cell Sci.</i> 112:3591-3601 (1999).
	Glover et al., "Polo Kinase: The Choreographer of the Mitotic Stage?," <i>J. Cell Biol.</i> 135:1681-1684 (1996).
	Glover et al., "Polo-Like Kinases: A Team That Plays Throughout Mitosis," <i>Genes Dev.</i> 12:3777-3787 (1998).
	Golan et al., "The Cyclin-Ubiquitin Ligase Activity of Cyclosome/APC Is Jointly Activated by Protein Kinases Cdk1-Cyclin B and Plk," <i>J. Biol. Chem.</i> 277:15552-15557 (2002).
	Golsteyn et al., "Cell Cycle Analysis and Chromosomal Localization of Human Plk1, a Putative Homologue of the Mitotic Kinases <i>Drosophila</i> Polo and <i>Saccharomyces cerevisiae</i> Cdc5," <i>J. Cell Sci.</i> 107:1509-1517 (1994).
	Grallert and Hagan, " <i>Schizosaccharomyces pombe</i> NIMA-Related Kinase, Fin1, Regulates Spindle Formation and an Affinity of Polo for the SPB," <i>EMBO J.</i> 21:3096-3107 (2002).
	Grishin, "KH Domain: One Motif, Two Folds," <i>Nucleic Acids Res.</i> 29:638-643 (2001).
	Han et al., "Design and Synthesis of Highly Potent Fumagillin Analogues from Homology Modeling for a Human MetAP-2," <i>Bioorg. Med. Chem. Lett.</i> 10:39-43 (2000).
	Hof et al., "Crystal Structure of the Tyrosine Phosphatase SHP-2," <i>Cell</i> 92:441-450 (1998).
	Hoffmann et al., "Phosphorylation and Activation of Human cdc25-C by cdc2-cyclin B and Its Involvement in the Self-Amplification of MPF at Mitosis," <i>EMBO J.</i> 12:53-63 (1993).
	Holtrich et al., "Induction and Down-Regulation of PLK, a Human Serine/Threonine Kinase Expressed in Proliferating Cells and Tumors," <i>Proc. Natl. Acad. Sci. U.S.A.</i> 91:1736-1740 (1994).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	

SUBSTITUTE FORM PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	01997/545003
		Serial No.	10/713,978
		Applicant	Yaffe et al.
		Filing Date	November 14, 2003
		Group	1656
		IDS Filed	October 18, 2006
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)			
(37 C.F.R. § 1.98(b))			

	Houghton and Scheinberg, "Monoclonal Antibody Therapies – A 'Constant' Threat to Cancer," <i>Nat. Med.</i> 6:373-374 (2000).
	Huyton et al., "The BRCA1 C-Terminal Domain: Structure and Function," <i>Mutat. Res.</i> 460:319-332 (2000).
	Izumi et al., "Periodic Changes in Phosphorylation of the <i>Xenopus</i> cdc25 Phosphatase Regulate Its Activity," <i>Mol. Biol. Cell</i> 3:927-939 (1992).
	Izumi and Maller, "Elimination of cdc2 Phosphorylation Sites in the cdc25 Phosphatase Blocks Initiation of M-Phase," <i>Mol. Biol. Cell</i> 4:1337-1350 (1993).
	Izumi and Maller, "Phosphorylation and Activation of the <i>Xenopus</i> Cdc25 Phosphatase in the Absence of Cdc2 and Cdk2 Kinase Activity," <i>Mol. Biol. Cell</i> 6:215-226 (1995).
	Jang et al., "Functional Studies on the Role of the C-Terminal Domain of Mammalian Polo-Like Kinase," <i>Proc. Natl. Acad. Sci. U.S.A.</i> 99:1984-1989 (2002).
	Jenkins et al., "Solid-Phase Synthesis and Biochemical Studies of O-Boranophosphopeptides and O-Dithiophosphopeptides," <i>J. Am. Chem. Soc.</i> 124:6584-6593 (2002).
	Kanai et al., "TAZ: A Novel Transcriptional Co-Activator Regulated by Interactions with 14-3-3 and PDZ Domain Proteins," <i>EMBO J.</i> 19:6778-6791 (2000).
	Karaïskou et al., "MPF Amplification in <i>Xenopus</i> Oocyte Extracts Depends on a Two-Step Activation of cdc25 Phosphatase," <i>Exp. Cell Res.</i> 244:491-500 (1998).
	Karaïskou et al., "Phosphatase 2A and Polo Kinase, Two Antagonistic Regulators of Cdc25 Activation and MPF Auto-Amplification," <i>J. Cell Sci.</i> 112:3747-3756 (1999).
	Kim et al., "Substrate Specificities and Identification of Putative Substrates of ATM Kinase Family Members," <i>J. Biol. Chem.</i> 274:37538-37543 (1999).
	Koch et al., "SH2 and SH3 Domains: Elements That Control Interactions of Cytoplasmic Signaling Proteins," <i>Science</i> 252:668-674 (1991).
	Kumagai and Dunphy, "Regulation of the cdc25 Protein During the Cell Cycle in <i>Xenopus</i> Extracts," <i>Cell</i> 70:139-151 (1992).
	Kumagai and Dunphy, "Purification and Molecular Cloning of Plx1, a Cdc25-Regulatory Kinase from <i>Xenopus</i> Egg Extracts," <i>Science</i> 273:1377-1380 (1996).
	Kuriyan and Cowburn, "Modular Peptide Recognition Domains in Eukaryotic Signaling," <i>Annu. Rev. Biophys. Biomol. Struct.</i> 26:259-288 (1997).
	Lane and Nigg, "Antibody Microinjection Reveals an Essential Role for Human Polo-Like Kinase 1 (Plk1) in the Functional Maturation of Mitotic Centrosomes," <i>J. Cell Biol.</i> 135:1701-1713 (1996).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	

SUBSTITUTE FORM PTO-1449 (MODIFIED) U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))	Attorney Docket No.	01997/545003
	Serial No.	10/713,978
	Applicant	Yaffe et al.
	Filing Date	November 14, 2003
	Group	1656
	IDS Filed	October 18, 2006

	Lechner et al., "PTIP, a Novel BRCT Domain-Containing Protein Interacts with Pax2 and Is Associated with Active Chromatin," <i>Nucleic Acids Res.</i> 28:2741-2751 (2000).
	Lee et al., "Plk Is an M-Phase-Specific Protein Kinase and Interacts with a Kinesin-Like Protein, CHO1/MKLP-1," <i>Mol. Cell. Biol.</i> 15:7143-7151 (1995).
	Lee and Erikson, "Plk Is a Functional Homolog of <i>Saccharomyces cerevisiae</i> Cdc5, and Elevated Plk Activity Induces Multiple Septation Structures," <i>Mol. Cell. Biol.</i> 17:3408-3417 (1997).
	Lee et al., "Mutation of the Polo-Box Disrupts Localization and Mitotic Functions of the Mammalian Polo Kinase Plk," <i>Proc. Natl. Acad. Sci. U.S.A.</i> 95:9301-9306 (1998).
	Lee et al., "The Polo-Box-Dependent Induction of Ectopic Septal Structures by a Mammalian Polo Kinase, Plk, in <i>Saccharomyces cerevisiae</i> ," <i>Proc. Natl. Acad. Sci. U.S.A.</i> 96:14360-14365 (1999).
	Leung et al., "The Sak Polo-Box Comprises a Structural Domain Sufficient for Mitotic Subcellular Localization," <i>Nat. Struct. Biol.</i> 9:719-724 (2002).
	Li et al., "The FHA Domain Mediates Phosphoprotein Interactions," <i>J. Cell Sci.</i> 113:4143-4149 (2000).
	Li et al., "Structural and Functional Versatility of the FHA Domain in DNA-Damage Signaling by the Tumor Suppressor Kinase Chk2," <i>Mol. Cell</i> 9:1045-1054 (2002).
	Liu et al., "Regulation of c-Src Tyrosine Kinase Activity by the Src SH2 Domain," <i>Oncogene</i> 8:1119-1126 (1993).
	Liu and Erikson, "Polo-Like Kinase (Plk)1 Depletion Induces Apoptosis in Cancer Cells," <i>Proc. Natl. Acad. Sci. U.S.A.</i> 100:5789-5794 (2003).
	Logarinho and Sunkel, "The <i>Drosophila</i> POLO Kinase Localises to Multiple Compartments of the Mitotic Apparatus and Is Required for the Phosphorylation of MPM2 Reactive Epitopes," <i>J. Cell Sci.</i> 111:2897-2909 (1998).
	Lu et al., "Function of WW Domains as Phosphoserine- or Phosphothreonine-Binding Modules," <i>Science</i> 283:1325-1328 (1999).
	Lustig et al., "Small Pool Expression Screening: Identification of Genes Involved in Cell Cycle Control, Apoptosis, and Early Development," <i>Methods Enzymol.</i> 283:83-99 (1997).
	Ma et al., "The Serum-Inducible Protein Kinase Snk Is a G ₁ Phase Polo-Like Kinase That Is Inhibited by the Calcium- and Integrin-Binding Protein CIB," <i>Mol. Cancer Res.</i> 1:376-384 (2003).
	Moarefi et al., "Activation of the Src-Family Tyrosine Kinase Hck by SH3 Domain Displacement," <i>Nature</i> 385:650-653 (1997).
	Motoyama et al., "The Efficacy of ErbB Receptor-Targeted Anticancer Therapeutics Is Influenced by the Availability of Epidermal Growth Factor-Related Peptides," <i>Cancer Res.</i> 62:3151-3158 (2002).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	

SUBSTITUTE FORM PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	01997/545003
<p style="text-align: center;">INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)</p>		Serial No.	10/713,978
		Applicant	Yaffe et al.
		Filing Date	November 14, 2003
		Group	1656
		IDS Filed	October 18, 2006
(37 C.F.R. § 1.98(b))			

	Mundt et al., "On the Regulation and Function of Human Polo-Like Kinase 1 (PLK1): Effects of Overexpression on Cell Cycle Progression," <i>Biochem. Biophys. Res. Commun.</i> 239:377-385 (1997).
	Muslin et al., "Interaction of 14-3-3 with Signaling Proteins Is Mediated by the Recognition of Phosphoserine," <i>Cell</i> 84:889-897 (1996).
	Nigg, "Polo-Like Kinases: Positive Regulators of Cell Division from Start to Finish," <i>Curr. Opin. Cell Biol.</i> 10:776-783 (1998).
	Nishikawa et al., "A Peptide Library Approach Identifies a Specific Inhibitor for the ZAP-70 Protein Tyrosine Kinase," <i>Mol. Cell</i> 6:969-974 (2000).
	Obata et al., "Peptide and Protein Library Screening Defines Optimal Substrate Motifs for AKT/PKB," <i>J. Biol. Chem.</i> 275:36108-36115 (2000).
	O'Neill et al., "Utilization of Oriented Peptide Libraries to Identify Substrate Motifs Selected by ATM," <i>J. Biol. Chem.</i> 275:22719-22727 (2000).
	Pawson and Scott, "Signaling Through Scaffold, Anchoring, and Adaptor Proteins," <i>Science</i> 278:2075-2080 (1997).
	Pawson and Nash, "Assembly of Cell Regulatory Systems Through Protein Interaction Domains," <i>Science</i> 300:445-452 (2003).
	Qian et al., "Purification and Cloning of a Protein Kinase That Phosphorylates and Activates the Polo-Like Kinase Plx1," <i>Science</i> 282:1701-1704 (1998).
	Qian et al., "Mitotic Effects of a Constitutively Active Mutant of the <i>Xenopus</i> Polo-Like Kinase Plx1," <i>Mol. Cell. Biol.</i> 19:8625-8632 (1999).
	Qian et al., "The Polo-Like Kinase Plx1 Is Required for Activation of the Phosphatase Cdc25C and Cyclin B-Cdc2 in <i>Xenopus</i> Oocytes," <i>Mol. Biol. Cell</i> 12:1791-1799 (2001).
	Rappold et al., "Tumor Suppressor p53 Binding Protein 1 (53BP1) Is Involved in DNA Damage-Signaling Pathways," <i>J. Cell Biol.</i> 153:613-620 (2001).
	Roshak et al., "The Human Polo-Like Kinase, PLK, Regulates cdc2/cyclin B Through Phosphorylation and Activation of the cdc25C Phosphatase," <i>Cell Signal.</i> 12:405-411 (2000).
	Schultz et al., "SMART, a Simple Modular Architecture Research Tool: Identification of Signaling Domains," <i>Proc. Natl. Acad. Sci. U.S.A.</i> 95:5857-5864 (1998).
	Schultz et al., "p53 Binding Protein 1 (53BP1) Is an Early Participant in the Cellular Response to DNA Double-Strand Breaks," <i>J. Cell Biol.</i> 151:1381-1390 (2000).
	Schwartz et al., "Rad9 Phosphorylation Sites Couple Rad53 to the <i>Saccharomyces cerevisiae</i> DNA Damage Checkpoint," <i>Mol. Cell</i> 9:1055-1065 (2002).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	

SUBSTITUTE FORM PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	01997/545003
		Serial No.	10/713,978
		Applicant	Yaffe et al.
		Filing Date	November 14, 2003
		Group	1656
		IDS Filed	October 18, 2006
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)			
(37 C.F.R. § 1.98(b))			

	Scully and Livingston, "In Search of the Tumour-Suppressor Functions of BRCA1 and BRCA2," <i>Nature</i> 408:429-432 (2000).
	Seong et al., "A Spindle Checkpoint Arrest and a Cytokinesis Failure by the Dominant-Negative Polo-Box Domain of Plk1 in U-2 OS Cells," <i>J. Biol. Chem.</i> 277:32282-32293 (2002).
	Shen et al., "The Essential Mitotic Peptidyl-Prolyl Isomerase Pin1 Binds and Regulates Mitosis-Specific Phosphoproteins," <i>Genes Dev.</i> 12:706-720 (1998).
	Shimizu et al., "Swift Is a Novel BRCT Domain Coactivator of Smad2 in Transforming Growth Factor β Signaling," <i>Mol. Cell. Biol.</i> 21:3901-3912 (2001).
	Sicheri et al., "Crystal Structure of the Src Family Tyrosine Kinase Hck," <i>Nature</i> 385:602-609 (1997).
	Smits et al., "Polo-Like Kinase-1 Is a Target of the DNA Damage Checkpoint," <i>Nat. Cell Biol.</i> 2:672-676 (2000).
	Song et al., "Essential Function of the Polo Box of Cdc5 in Subcellular Localization and Induction of Cytokinetic Structures," <i>Mol. Cell. Biol.</i> 20:286-298 (2000).
	Song and Lee, "A Novel Function of <i>Saccharomyces cerevisiae</i> CDC5 in Cytokinesis," <i>J. Cell Biol.</i> 152:451-469 (2001).
	Songyang et al., "SH2 Domains Recognize Specific Phosphopeptide Sequences," <i>Cell</i> 72:767-778 (1993).
	Songyang et al., "Catalytic Specificity of Protein-Tyrosine Kinases Is Critical for Selective Signalling," <i>Nature</i> 373:536-539 (1995).
	Stols et al., "A New Vector for High-Throughput, Ligation-Independent Cloning Encoding a Tobacco Etch Virus Protease Cleavage Site," <i>Protein Expr. Purif.</i> 25:8-15 (2002).
	Strausfeld et al., "Activation of p34 ^{cdc2} Protein Kinase by Microinjection of Human cdc25C into Mammalian Cells," <i>J. Biol. Chem.</i> 269:5989-6000 (1994).
	Strebhardt et al., "Prognostic Value of Pololike Kinase Expression in Melanomas," <i>JAMA</i> 283:479-480 (2000).
	Takai et al., "Polo-Like Kinase (PLK) Expression in Endometrial Carcinoma," <i>Cancer Lett.</i> 169:41-49 (2001).
	Tokumitsu et al., "Prognostic Significance of Polo-Like Kinase Expression in Esophageal Carcinoma," <i>Int. J. Oncol.</i> 15:687-692 (1999).
	Toyoshima-Morimoto et al., "Plk1 Promotes Nuclear Translocation of Human Cdc25C During Prophase," <i>EMBO Rep.</i> 3:341-348 (2002).
	Verdecia et al., "Structural Basis for Phosphoserine-Proline Recognition by Group IV WW Domains," <i>Nat. Struct. Biol.</i> 7:639-643 (2000).
	Waksman et al., "Crystal Structure of the Phosphotyrosine Recognition Domain SH2 of v-Src Complexed with Tyrosine-Phosphorylated Peptides," <i>Nature</i> 358:646-653 (1992).
EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	

SUBSTITUTE FORM PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	01997/545003
<p style="text-align: center;">INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)</p> <p>(37 C.F.R. § 1.98(b))</p>		Serial No.	10/713,978
		Applicant	Yaffe et al.
		Filing Date	November 14, 2003
		Group	1656
		IDS Filed	October 18, 2006

	Wang et al., "53BP1, A Mediator of the DNA Damage Checkpoint," <i>Science</i> 298:1435-1438 (2002).
	Westendorf et al., "Cloning of cDNAs for M-Phase Phosphoproteins Recognized by the MPM2 Monoclonal Antibody and Determination of the Phosphorylated Epitope," <i>Proc. Natl. Acad. Sci. U.S.A.</i> 91:714-718 (1994).
	Williams et al., "Crystal Structure of the BRCT Repeat Region from the Breast Cancer-Associated Protein BRCA1," <i>Nat. Struct. Biol.</i> 8:838-842 (2001).
	Wolf et al., "Prognostic Significance of Polo-Like Kinase (PLK) Expression in Non-Small Cell Lung Cancer," <i>Oncogene</i> 14:543-549 (1997).
	Xie et al., "Genotoxic Stress-Induced Activation of Plk3 Is Partly Mediated by Chk2," <i>Cell Cycle</i> 6:424-429 (2002).
	Xu et al., "Three-Dimensional Structure of the Tyrosine Kinase c-Src," <i>Nature</i> 385:595-602 (1997).
	Xu et al., "Crystal Structures of c-Src Reveal Features of Its Autoinhibitory Mechanism," <i>Mol. Cell</i> 3:629-638 (1999).
	Xu et al., "Chk2 Activation and Phosphorylation-Dependent Oligomerization," <i>Mol. Cell. Biol.</i> 22:4419-4432 (2002).
	Yaffe et al., "Sequence-Specific and Phosphorylation-Dependent Proline Isomerization: A Potential Mitotic Regulatory Mechanism," <i>Science</i> 278:1957-1960 (1997).
	Yaffe et al., "The Structural Basis for 14-3-3:Phosphopeptide Binding Specificity," <i>Cell</i> 91:961-971 (1997).
	Yaffe and Cantley, "Mapping Specificity Determinants for Protein-Protein Association Using Protein Fusions and Random Peptide Libraries," <i>Methods Enzymol.</i> 328:157-170 (2000).
	Yaffe et al., "A Motif-Based Profile Scanning Approach for Genome-Wide Prediction of Signaling Pathways," <i>Nat. Biotechnol.</i> 19:348-353 (2001).
	Yaffe and Elia, "Phosphoserine/Threonine-Binding Domains," <i>Curr. Opin. Cell Biol.</i> 13:131-138 (2001).
	Yaffe and Smerdon, "PhosphoSerine/Threonine Binding Domains: You Can't pSERious?," <i>Structure</i> 9:R33-R38 (2001).
	Yaffe, "Phosphotyrosine-Binding Domains In Signal Transduction," <i>Nat. Rev. Mol. Cell Biol.</i> 3:177-186 (2002).
	Zhou and Elledge, "The DNA Damage Response: Putting Checkpoints in Perspective," <i>Nature</i> 408:433-439 (2000).
	International Search Report issued in PCT/US03/36392 (August 8, 2006).

EXAMINER	DATE CONSIDERED
<p>EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.</p>	